



Bus rapid transit impacts on land uses and land values in Seoul, Korea

Robert Cervero^{a,*}, Chang Deok Kang^b

^a Department of City and Regional Planning, MC 1850, 228 Wurster Hall, University of California, Berkeley 94720-1850, CA, USA

^b University of Seoul, South Korea

ARTICLE INFO

Available online 23 July 2010

Keywords:

Bus rapid transit
Land use
Capitalization
Hedonic price models
Multilevel models
Land-use planning
Value capture

ABSTRACT

Bus rapid transit (BRT) has gained popularity as a cost-effective alternative to urban rail investments; however, relatively little is known about its impacts on land-use changes and land values. This paper examines the land-market effects of converting regular bus operations to median-lane bus services in Seoul, Korea, one of the densest, most congested cities in the world. Multilevel models reveal BRT improvements prompted property owners to convert single-family residences to higher density apartments and condominiums. Land price premiums of up to 10% were estimated for residences within 300 m of BRT stops and more than 25% for retail and other non-residential uses over a smaller impact zone of 150 m. The research findings underscore the importance of introducing zoning and other land regulatory changes prior to the initiation of BRT improvements as well as applying value-capture tools to help finance investments and redress inequities.

© 2010 Elsevier Ltd. All rights reserved.

1. Introduction

More and more cities are turning to bus rapid transit (BRT) as a way of cost-effectively expanding public transit services to relieve traffic congestion, reduce carbon emissions, and increase mobility options for the poor. Because of the inherent flexibility advantages of rubber-tire buses – e.g., unlike rail systems, the same vehicle that functions as a line-haul carrier can also morph into a neighborhood feeder – BRT is especially suited for many lower density and non-CBD settings.

BRT has gained increasing popularity worldwide. Some of the most advanced and widely heralded BRT services today are found in Latin America, such as Curitiba and São Paulo, Brazil, Bogotá and Cali, Columbia, Santiago, Chile, and Lima, Peru. The success of BRT in these cities stems, to a large degree, from the presence of dedicated lanes, which offer significant speed advantages relative to more traditional mixed-traffic services. One of the few cities outside of Latin America that has joined the ranks of world-class BRT service-providers is Seoul, Korea. As in cities like Curitiba and Bogotá, Seoul operates dedicated median-lane BRT services which are supplemented by one of the most extensive networks of curbside BRT lanes anywhere. Seoul began implementing curbside bus lanes in 1986; however, because of conflicts with traffic entering the main traffic stream these lanes failed to provide significant speed advantages. It was only after the addition of

exclusive median lanes in 2004 that buses began to offer significant travel-time savings and win over former motorists.

All else being equal, significant gains in bus speeds should be followed by significant land-use changes, like densification and property value increases, especially in congested mega-cities like Seoul. Land markets can be expected to place a high premium on parcels close to transit corridors that enjoy significant travel-time savings since, after all, such settings have scarcity value—i.e., there is a finite, limited supply of settings with superior transit offerings. This paper probes this hypothesis by studying land-use changes and property-value increases induced by Seoul's introduction of exclusive, median-lane BRT services. First, the empirical literature on bus transit and land-use impacts is reviewed. This is followed by background discussions on Seoul's transportation conditions and BRT system. Next, we describe our research methodology and supporting data sources. We then present multilevel models that gauge the influences of upgrading BRT services on land-use changes and land values. The paper concludes by reflecting on the policy implications of the key research findings.

2. Literature review

A large body of literature confirms that urban real-estate responds positively to transportation improvements, mainly in the form of higher property values and, zoning permitting, land-use intensification (Cervero, 1997; Ryan, 1999). Transportation infrastructure increases the supply of developable land and

* Corresponding author. Tel.: +1 510 642 1695; fax: +1 520 642 1641.

E-mail addresses: robertc@berkeley.edu (R. Cervero), cdclab@uos.ac.kr (C. Kang).

through the competitive bidding process increases the price of land for parcels that enjoy significant gains in accessibility (Dowall and Monkkonen, 2007; Ewing, 2009). The benefits of new transportation investments get capitalized in real estate prices in the short-term while over the longer term land-use adjustments occur. Thus while land-price impacts can be instantaneous, land-use changes tend to be slower, partly due to institutional lags (e.g., in securing building permits and zoning amendments) (Perez et al., 2003).

Most transportation capitalization studies to date have focused on highway corridors in the developed world. Given the predominance of automobile travel in countries like the United States, not surprisingly larger value gains have been recorded as a consequence of highways improvements vis-à-vis expanded or enhanced transit services (Cervero, 1997; Ryan, 1999; Bhatta and Drennan, 2003). Studies generally find, however, that the impacts of highways on land-use changes are largely redistributive, shifting growth that might otherwise occur in some settings to newly served highway settings (Cambridge Systematics et al., 1998; Boarnet, 1998; Boarnet and Chalermpong, 2001). Boarnet and Haughwot (2000) note that redistribution need not be a zero-sum situation because economic benefits can accrue from spatial relocation, such as increasing agglomeration economies. In addition, other preconditions—such as deregulated zoning, higher permissible densities, and infrastructure provisions—are often required if road investments are to have significant impacts on land use (Giuliano, 2004). Regional location also matters. Research shows that land-price adjustments tend to be smaller as the distance of a highway to the CBD increases (Voith, 1993).

Most studies of public transit's impacts on cities and land values have focused on heavy rail systems since such capital-intensive investments have historically conferred the most significant accessibility benefits of any transit improvements. Much of this research has focused on recent-generation rail systems built in US cities over the past half-century (Huang, 1996; Giuliano, 2004). Empirical research on rail investments and land-price impacts has produced mixed results. Studies of San Francisco's BART found considerable variation in land-price impacts, with downtown San Francisco commercial properties reaping huge gains and many suburban residential settings experiencing no discernible impacts (Cervero and Landis, 1997). Research on Miami's Metrorail recorded no significant land-price effects owing to low ridership and flat real-estate markets in many areas that were served (Gatzlaff and Smith, 1993). A study of Chicago's Midway Line showed that the opening of new rail services increased housing prices, with rates of land-value appreciation varying over time (McMillen and McDonald, 2004).

Outside the US, a range of impacts have also been found, reflecting the highly contextualized nature of rail-induced land-use impacts. In Seoul, Korea, residential property values were found to have risen before a new subway line opened, reflecting the speculative nature of rail-induced land appreciation in a dense, crowded city. The proximity effects of rail on land values, however, were less than that of other predictors such as housing characteristics and distance to recreational facilities (Bae et al., 2003). Because they have a longer history of urbanization that predates the automobile age, new rail investments in European cities are widely viewed as strengthening and reinforcing compact, pedestrian-scale development patterns (Banister and Lichfield, 1995; Hall, 1995; Banister, 2005). The Royal Institution of Chartered Surveyors (2002) surveyed 150 studies drawn mainly from the UK and continental Europe. The study concluded that public transit services generally exerted positive influences on residential as well as commercial properties; however, because of large statistical variation, a host of intervening factors likely affect outcomes as well.

Conventional wisdom holds that traditional bus transit services have imperceptible influences on urban form and land-use patterns because, in contrast to many rail systems, they fail to confer appreciable accessibility benefits. This is especially the case in the developed world where high levels of private automobile ownership means conventional buses are considerably slower than cars for the vast majority of trips. The exception to this rule, however, could be BRT wherein buses are provided with an exclusive, dedicated lane, signifying a significant improvement in service quality in the minds of real-estate developers and property owners (Polzin and Baltes, 2002). Levinson et al. (2002) contend that BRT investments in Ottawa, Pittsburgh, Brisbane, and Curitiba generated land-use benefits that were as large as those that would have been created by railway investments. Vuchic (2002) expresses doubt, arguing that light-rail transit (LRT) has a significantly higher potential to impact urban form than BRT.

Empirical evidence that might inform this debate is quite limited. Several past studies have investigated the affects of BRT on land values. A study of dedicated-lane BRT services in Los Angeles found small negative impacts on residential property values and small gains for commercial parcels (Cervero, 2004). Land-value impacts of light-rail services in Los Angeles were found to be similar to those of BRT—i.e., slight declines in residential values and fairly small gains in commercial properties (smaller than that found for BRT). In contrast, a study of the more substantial BRT system in Bogotá, Colombia found appreciable land-value benefits. There, multi-family housing units close to Bogotá's TransMilenio BRT rented for more per square meter than units located farther away (Rodríguez and Targa, 2004). The addition of new TransMilenio lines was found to further increase the land-value premium of already-served properties (Rodríguez and Mojica, 2008). Better pedestrian environments around Transmilenio stops also contributed to higher land values (Estupinan and Rodríguez, 2008). In the case of Brisbane, Australia, the southeast busway, which as in Bogotá operates on an exclusive lane, was similarly found to confer land-value benefits to nearby residential properties (Levinson et al., 2002).

As with rail, various mediators can influence the land-value impacts of bus-based investments. Heterogeneous neighborhood attributes can alter how changes in transit travel times affect residential property prices (Du and Mulley, 2006). Clustering transit stops in commercial and mixed-use districts can also yield measurable land-value benefits (Zhou and Kockelman, 2008).

Our research aims to extend insights gained from previous analyses by examining changes in both land use compositions and land values following BRT improvements over several time points. We investigate impacts on both residential and non-residential properties along affected BRT corridors in Seoul. As background to the study, the next section describes Seoul City and its current BRT services.

3. Background information on BRT in Seoul

Seoul is the capital of Korea and the nation's economic, political, and cultural hub. The city itself, with more than 10 million inhabitants, is part of the Seoul Metropolitan Area (which includes Kyunggi Province and Incheon city), the world's second largest conurbation at 23 million (Fig. 1). With 16,000 residents per square kilometer, Seoul and Incheon comprise the sixth densest urbanized area in the world (Fig. 2).

Economic growth and rapid urbanization have brought about steady increases in car ownership and congestion levels in Seoul (Fig. 3). Between 1995 and 2005, average motor-vehicle speeds in Seoul hovered around 20–25 km/h, with the worst congestion

during evening peak hours (Fig. 4). Partly because of extreme traffic congestion as well as for income reasons, the majority of Seoul residents travel by public transport. From 2003 to 2006, more than 60% of motorized trips were by bus or subway (Fig. 5).

Because of transit's shrinking modal shares and worsening traffic congestion various bus-transit reforms were introduced in the mid-1990s, including the provision of dedicated curbside bus lanes. These improvements failed to stem bus-transit's secular declines in ridership as its modal shares fell from 30% in 1996 to 26% in 2002 (while subway's share rose from 29% to 35% during the same period). Part of the reason for bus-transit's decline was excessive competition among private operators which resulted in

redundant and unstable services, the skipping of stops, and overly aggressive driving. These factors, along with rising operating deficits, prompted the Seoul Metropolitan Government to introduce a semi-public transit organization in the early 2000s that set and enforced rules and standards on bus routes, schedules, and private operating practices. Many bus routes were reorganized into a timed-transfer and pulse-scheduling arrangement. Moreover, all bus services were classified into four types of colored services: red (long-distance and intercity services), blue (trunk services), green (feeder services), and yellow (circular services). The red long-distance intercity lines linked satellite cities with each other and downtown Seoul while blue trunk lines connected between the sub-core and central-city Seoul. Green feeder buses mainly funneled passengers to subway stations and express bus stops. Yellow circular lines orbited the urban core.

Equally important was the full-scale upgrade of BRT services. During the early 2000s, Seoul's curbside bus lanes were expanded from 219 to 294 km, and in mid-2004 dedicated median-lane services were introduced (Fig. 6). By 2008, Seoul had installed 74 km of median-lane BRT services spanning 8 corridors (Fig. 7). The combination of dedicated lane-services, bus-priority traffic signals, real-time passenger information systems, and attractively designed bus stops materially improved service quality.

Six months after the introduction of median-lane bus services, average bus operating speeds doubled from 11 to 22 km/h (Seoul Development Institute, 2005a). Table 1, which compares bus versus car speeds along three road segments of the BRT network, shows bus users enjoyed substantial travel-time savings relative to motorists. Other benefits included a reduction in bus-related accidents and improved schedule adherence. As a consequence, previous declines in bus transit's ridership were reversed, with bus patronage jumping 10% between the end of 2003 (prior to median-lane services) and the end of 2004 (after median-lane services). These ridership gains have been sustained: in 2009, bus-transit patronage outnumbered that of the subway system by more than 100,000 daily passengers; six years earlier, subways carried nearly a million more passengers per day than buses (Seoul Metropolitan Government, 2009). Not surprisingly, passenger satisfaction increased following the introduction of median bus-lanes in 2004, as shown in Table 2. And there was a clear association between where people lived and level of satisfaction. A survey of 3000 passengers in November 2004 revealed that 28% were satisfied with overall bus service improvements. However, among




Fig. 1. Location of Seoul, Korea.
Source: Seoul Metropolitan Government.




Fig. 2. Rank order of population densities among global cities (2006).
Source: City Mayors (www.citymayors.com).




Fig. 3. Registered motor vehicles in Seoul (1995–2005).
Source: Seoul Metropolitan Government.




Fig. 4. Average speeds of motor vehicles, 1995–2005.
Source: Seoul Metropolitan Government.

those living in districts with exclusive median bus lanes, more than half said they were very satisfied with changes (Seoul Development Institute, 2005b). Fig. 8 reveals the strong spatial association between where satisfied residents lived and the location of median-lane bus services.

In parallel to improvements in BRT services were a number of other reforms introduced under the leader of Myung-Bak Lee, former mayor of Seoul and now president of South Korea who supported a more transit-oriented built form. One was an ambitious campaign of land reclamation, taking valuable central-city real estate given over to the private car and transforming parcels into attractive public spaces. Most noticeable was the removal of a 6-km elevated freeway in the heart of Seoul, Cheong Gye Cheon (CGC), replaced by a restored urban stream and pedestrian-friendly greenway. Mayor Lee also converted a 1.3 ha surface-street intersection in front of Seoul's City Hall with an oval-shaped grass park. Furthermore, in reaction to growing public discontent over excessively long commutes between far-flung new towns and central Seoul, local government embarked on a New Town-In Town program. Seoul's city government sought to jump-start central-city redevelopment by providing various public amenities like green space and expanding infrastructure and public services. Many of these "Promotion Areas" were sited along the median-lane BRT corridors (Fig. 9).

4. Research methodology and data sources

To study the effects of Seoul's 2004 BRT reforms on land-use activities and property values, we gathered parcel-level data for affected properties over multiple time points. Since land use is measured on a nominal scale, logit models were used to gauge the influences of BRT on discrete land-use changes. For studying impacts on the ratio-scale variable, assessed land value, we applied multiple regression techniques, specified according to hedonic price theory (Rosen, 1974). Hedonic price models apportion land-price effects based on the attributes of buildings and land as well as characteristics of surrounding neighborhoods. Since such attributes are measured at different geographic scales (e.g., parcels versus neighborhoods), as discussed later, multilevel techniques were used to estimate best-fitting models.

Numerous data sources were drawn upon to probe the land-use and land-value impacts of Seoul's improved BRT services. Table 3 lists and describes the key variables that were collected as well as data sources. Particularly important were data obtained from annual land surveys conducted by the Seoul Assessor Office from 2001 to 2007. For each parcel in the city, this survey provided information on street address, land use, assessed land value, and other features. Land-value data were adjusted using a consumer price index (CPI) to control for inflation effects over time.

The sample frame for our research comprised land parcels whose nearest bus stop became a median-lane stop once the BRT improvements were introduced in 2004. Thus if a parcel was closer to a median-lane bus stop in 2004 than a regular bus stop, it was included in our sample; if it was closer to a regular bus stop, it was not. This yielded more than 187,000 parcel observations (the majority of which were residential properties) for model estimation. All parcels were within 2150 m of a BRT stop and the vast majority were within half kilometer.

With land-parcel data in hand, point-based maps were then created to measure network and straight-line distances from each surveyed parcel to the nearest BRT stops (shown in Fig. 7) as well as to major roads, subway stations, the Han River (Seoul's major north-south dividing line), and as a hub of Seoul's ambitious land reclamation and redevelopment campaign, the Cheong Gye Cheon (CGC) corridor. As Fig. 10 shows, CGC was a central link in Seoul's thoroughfare network and its demolition placed demands on




Fig. 5. Modal shares in Seoul, 2003–2006.
Source: Seoul Metropolitan Government.



Fig. 6. Bus median lanes in Seoul.
Source: Seoul Metropolitan Government.




Fig. 7. Map of BRT corridors in Seoul.
Source: Adapted from Seoul Metropolitan Government.

Since our models relied on information from neighborhoods that surrounded surveyed parcels, various socio-economic variables were also compiled, as shown in Table 3. Statistically, these variables served as controls, allowing us to partial out the unique effects of proximity to median-lane BRT stops on land-use and land-value changes. A variable like “park ratio” (a proxy for the amount of open space and greenery in an area), for instance, could be expected to increase residential property values in a crowded, congested city like Seoul. Such variables should be included in a hedonic price model to statistically remove potential confounding effects.

5. Land use change models

This section examines how Seoul’s introduction of median-lane BRT improvements in mid-2004 affected land uses. Multilevel binary logit models were used to predict three types of conversions from

alternative services, including BRT, to absorb displaced traffic. The very existence of median-lane BRT was due, in part, to the lost capacity from the freeway’s demolition, thus the spatial relationship of studied parcels to not only BRT stops but also the CGC corridor was of interest.

Table 1

Comparison of operating speeds (km/h) of cars and buses along three road segments with exclusive median bus lanes.
Source: Seoul Development Institute (2005a).

Description		Before (June 2004)	After (August 2004)	Percentage change
Road A	Bus (exclusive lane)	11	20.3	85.0
	Car (other lane)	18.5	19.9	7.6
Road B	Bus (exclusive lane)	13.1	22.5	72.0
	Car (other lane)	20.3	21	3.4
Road C	Bus (exclusive lane)	13	17.2	32.0
	Car (other lane)	18	19.1	6.1

Table 2

Number of formal public complaints about bus services, before and after median-lane BRT services and other service reforms.
Source: Seoul Development Institute (2005a).

Type of complaints	April 2004 (before)	December 2004 (after)	May 2005 (after)
Transport card and fare	59,871	4820	640
Service routes	1216	44	15
Service schedules	1638	141	29
Bus stops, route maps	561	24	4
Service for bus driver	392	40	30
Publicity of route and fare	331	19	1
Other (suggestion, transfer)	981	48	34
Total	64,990	5136	753




Fig. 8. Percentage of satisfaction and location of bus stops.
Source: Seoul Development Institute (2005b).

single-family residences: to multi-family residential rental units, to condominium owner-occupied units, and to mixed-parcels which typically involved a combination of commercial activities (e.g., retail, services, offices) and sometimes residential as well. All of these changes correspond to what might be considered an intensification of activities on parcels, from single-family residences to often higher density activities (i.e., more units in the form of multi-family housing and condominiums; adding of retail activities). To the property owner, intensification normally translates into higher valued properties and in some cases increases in rental income. We note that there were insufficient observations to model other




Fig. 9. Location of new towns-in town and promotion areas along BRT lines.
Source: Adapted from Seoul Metropolitan Government.

possible land-use conversions, such as from retail-to-offices or undeveloped-to-retail.

The land use statuses of more than 52,000 single-family residential parcels that were part of our sample frame were tracked for the 2001–2007 period. More than 96% of parcels remained in single-family use over this six-year period. Among the remaining parcels, the dominant conversion was to multi-family housing followed by mixed land uses and condominiums. Fig. 11 shows the locations of converted parcels, all aligned fairly close to BRT stops.

Table 3

Variables and data sources for modeling land-use and land-value impacts.

Variables	Description	Data source
Dependent Variables		
CPI-adjusted land value (Korean Won/m ²)	Land value adjusted with CPI (2005=100)	Annual Land Survey
Land Use Change Types	Selected land use change=1, No change=0	Annual Land Survey
Independent Variables		
Location factors		
Distance to nearest CGC freeway ramps	Straight-line distance to CGC elevated freeway ramp(m)	Calculated using GIS
Network distance to nearest CGC freeway ramps	Distance along network to CGC elevated freeway ramps(m)	Calculated using GIS
Distance to nearest CGC pedestrian entrances	Straight-line distance to pedestrian entrances on CGC urban greenway(m)	Calculated using GIS
Network distance to nearest CGC pedestrian entrances	Distance along network to pedestrian entrances on CGC urban greenway(m)	Calculated using GIS
Distance to CBD: City Hall	Straight-line distance to Seoul's City Hall(m)	Calculated using GIS
Distance to nearest subway station	Straight-line distance to nearest subway station(m)	Calculated using GIS
Distance to nearest urban arterial	Straight-line distance to urban arterial(m)	Calculated using GIS
Distance to bus stop	Straight-line distance to bus stops(m)	Calculated using GIS
Network distance to bus stop	Distance along network to bus stops(m)	Calculated using GIS
Distance to Han River	Straight-line distance to Han River(m)	Calculated using GIS
Job accessibility within 30 min by Car	Number of jobs within 30 min by car	Calculated using GIS
Land attributes, use, and regulation		
CPI-adjusted land value (Korean Won/Square Meter)	Land value adjusted with CPI (2005=100)	Annual Land Survey
Land use	Land use types (residential and non-residential)	Annual Land Survey
Building coverage ratio	Ratio of floor area to total land area	Seoul Zoning Map
Floor area ratio	Ratio of total building area to floor area	Seoul Zoning Map
Neighborhood economic and demographic attributes		
Population density	Number of residents per total district area	Seoul Statistics
Employment density	Number of jobs per gross Ward (neighborhood) area	Seoul Statistics
Age structure	Proportion in age groups 20–40, 40–60, and more than 60 per resident over 20 years of age	Seoul Statistics
Proportion of residents with college degree	Proportion of residents with college degree per resident over 20 years of age	Population and Housing Census
Other neighborhood attributes		
Park ratio	Park area per gross Ward (neighborhood) area	Seoul Statistics
Developed land ratio	Land for building, school, and road per gross Ward (neighborhood) area	Seoul Statistics
Road area ratio	Total road area per gross Ward (neighborhood) area	Seoul Statistics
Retail area ratio	Total retail building area per gross Ward (neighborhood) area	Seoul Statistics
Proportion of residential permits to total permits	Total area of residential permit per gross permit area	Seoul Statistics
Proportion of commercial permits to total permits	Total area of commercial permit per gross permit area	Seoul Statistics
CPI-adjusted local tax per households (Korean Won)	CPI-adjusted local tax per households (2005=100)	Seoul Statistics

5.1. Model structure

Multilevel logit models were used to estimate factors influencing the three land-use conversions. Multilevel modeling accounts for the fact that parcels from the same neighborhood share common attributes, like local road-network designs and demographic characteristics. Failure to account for shared upper-level (i.e., neighborhood) attributes of lower-level (i.e., parcel) observations can bias parameter estimates (Raudenbush and Bryk, 2002). Our multilevel models incorporated both fixed and random effects. Fixed effects represent variable coefficients that are constant across upper-level (i.e., neighborhoods) units while random effects indicate error-terms that vary across upper level units. Estimated multilevel models of land-use conversion took the following form:

$$\text{logit}\left(\frac{y_{ij}}{1-y_{ij}}\right) = \gamma_{00} + \beta_K L_{ijk} + \beta_K S_{ijk} + \beta_K N_{ijk} + \zeta_j + \varepsilon_{ij} \quad (1)$$

where $y_{ij}=1$ if single-family parcel i (Level 1) in neighborhood j (Level 2) changed use; 0 if no change of land use; γ_{00} is the model constant; β_K are the coefficients of variables ($k=1, 2, 3, \dots, m$, m =number of variables), L_{ijk} is a vector of location attributes (e.g., distance to bus stops) of parcel i (Level 1) in neighborhood j (Level 2); S_{ijk} is a vector of neighborhood socio-demographic characteristics (e.g., population density, education level) in neighborhood j (Level 2) for parcel i (Level 1) in that neighborhood; N_{ijk} is a vector of

neighborhood land-use (e.g., share of parcels in retail use) and public expenditure (e.g., local tax per household) in neighborhood j (Level 2) that is assigned to each parcel i (Level 1) in the neighborhood; and ζ_j , ε_{ij} are the residual error terms of Level 2 and Level 1, respectively.

An important output of multilevel models is the intraclass correlation (ICC), which measures the relative variation in the estimated dependent variable between versus within neighborhoods. High ICC values, typically above 0.05 and with statistically significant probability levels, indicate individual parcels tend to share neighborhood attributes, signifying the need for multilevel estimation (Rabe-Hesketh and Skrondal, 2008).

5.2. Model results

Table 4 presents the multilevel model results for the most dominant conversion – single-family to multi-family residential – and Table 5 shows the output for the two other land-use changes studied: single-family to condominiums and to mixed uses. Slightly better model fits were obtained when expressing ratio-scale explanatory variables in natural logarithmic form, thus these model results are presented. Models were specified according to the multilevel structure described earlier in Eq. (1).

Of most interest to our research is the affects of “distance to bus stops” on land-use conversions. For all single-family parcels in the




Fig. 10. Urban arterials and freeways with reference to CGC corridor.
Source: Adapted from Seoul Metropolitan Government.

sample frame, Tables 4 and 5 reveal that parcels within half kilometer of a stop (generally associated with a walk of under 5 min) were generally more likely to convert to more intensive uses relative to parcels beyond half kilometer. Impacts across 100 m distance bands did not follow a simple linear pattern, as plotted in Fig. 12, suggesting other intervening and unaccounted-for factors, such as urban design features, might have influenced distance effects. We note that higher-end conversions – to condominiums and mixed-use buildings – were actually less likely to occur in the immediate vicinity of a bus stop (i.e., <100 m). This could be due to the nuisance effect of being located near busy BRT and roadway corridors (e.g., people walking to and congregating around bus stops; noise impacts). Multi-family conversions, however, seemed immune to such possible nuisance effects. Beyond a buffer distance of 100 m to a stop, single-family conversions were more likely to occur. At around 400 m, the influences of distance to a bus stop on land-use conversions largely evaporated.

Among other location variables, distance to arterial roads had the strongest influence on land-use conversions; the likelihood of switching to multi-family and mixed uses fell with distance to arterial roads. Other distance variables (e.g., to city hall and subways) were statistically associated with condominiums and mixed uses conversions, albeit in no clear or discernible pattern.

Among the remaining variables, higher assessed land values of a neighborhood significantly increased the odds of converting single-family residences to the higher end uses: condominiums and mixed uses. Property owners seemed particularly inclined to convert residences to condominiums, the most popular high-rise housing in Korea, in settings with relatively high average land values as well as college-educated residents. Less appealing in

higher valued core areas of the city were conversions to multi-family housing. Table 5 also shows that higher permissible floor area ratios of a neighborhood contributed to mixed-use conversions. Most other control variables in Tables 4 and 5 were not statistically significant but were retained because their inclusion is consistent with hedonic price theory (Rosen, 1974; Bartik, 1988) and also to apply consistent sets of explanatory variables across all models. Additionally, because of the large size of our sample, the influence of statistically insignificant control variables should have no discernible effects on the efficiency of other parameter estimates (Stigler, 2008).

6. Land value models

A similar multilevel modeling approach was adopted for studying the land-value capitalization effects of Seoul's BRT improvements. The primary change to Eq. (1), shown earlier, was the use of assessed land values, a ratio-scale variable, as the left-hand-side dependent variable. The multilevel regression model conceptually is similar to multilevel logit model, presented in Eq. (1), except binary logit models are estimated for nominal dependent variable (Rabe-Hesketh and Skrondal, 2008).

Using land valuation data from Seoul's Assessors' Office, multilevel multiple regression models were estimated for residential and non-residential properties over two time periods: 2001–2004 (pre-BRT) and 2005–2007 (post-BRT). Since land values are assessed in Seoul in the early part of the calendar year, the 2004 valuations were made prior to the mid-2004 initiation of median-lane BRT services. Before-and-after data should allow the influences of BRT improvements on land values to be gauged. Our analysis thus assumes there was little anticipatory land-value appreciation prior to the BRT improvement. Because BRT in South Korea was untested and untried in 2004, many local observers were skeptical it would deliver benefits. Indeed, the project faced considerable opposition because of concerns over possible increases in traffic congestion, crowding on buses, and lost retail sales to business merchants. For these reasons, we assumed capitalization benefits might only have accrued once the service was in actual operations.

Multilevel regression models on land-value impacts were estimated in log-log form because they produced better statistical fits than linear models and also moderated the effects of heteroschedastic error terms. A side benefit of log-log formulations is that estimated coefficients represent elasticities, revealing the relative sensitivity of land values to changes in the right-hand side predictor variables. The models shown in this section also produced the best statistical fits and were consistent with hedonic price theory.

6.1. Non-residential hedonic price models

A total of 37,515 and 23,969 non-residential land-parcel observations were available, respectively, for the two study periods: 2001–2004 and 2005–2007. For both periods, non-residential parcels in our sample were comprised of the following land uses: commercial-retail (55.2%), office (3.3%), undeveloped land zoned for commercial-retail (3.1%), mixed-use (37.6%), and undeveloped land zoned for mixed-use (0.7%). The parcels ranged in value per m² from 637,000 Korean Won (US\$500) to 45 million Korean Won (over US\$35,000) over the 2001–2007 period.

The multilevel hedonic-price models estimated for non-residential parcels are shown in Table 6. The intraclass correlations, indicating the share of variation explained by the grouping structure, were quite high, justifying the use of multilevel model estimation. Notably, 72.2% and 88.9% of the




Fig. 11. Location of converted single-family residential parcels.
Source: Adapted from Seoul Metropolitan Government.

Table 4

Multilevel logit model for predicting single family housing to multi-family conversions.

Variables	SF to Multi-family housing Coefficient	t	p
Fixed effects			
Distance to bus stops			
dummy (1, if distance $\leq$ 100 m, otherwise 0)	1.253	2.320	0.020
dummy (1, if 100 < distance $\leq$ 200 m, otherwise 0)	1.657	3.150	0.002
dummy (1, if 200 < distance $\leq$ 300 m, otherwise 0)	1.699	3.290	0.001
dummy (1, if 300 < distance $\leq$ 400 m, otherwise 0)	1.999	3.920	0.000
dummy (1, if 400 < distance $\leq$ 500 m, otherwise 0)	−0.120	−0.190	0.851
Location factors			
ln(Network distance to CGC pedestrian entrances)	0.078	0.130	0.898
ln(Distance to CBD: City Hall)	0.900	1.300	0.194
ln(Distance to nearest subway station)	0.032	0.350	0.726
ln(Distance to nearest urban arterial)	−0.130	−3.450	0.001
Neighborhood economic and demographic attributes			
ln(CPI-adjusted land value)	−1.462	−9.950	0.000
ln(Population density)	0.607	2.410	0.016
ln(Employment density)	−0.661	−0.380	0.703
ln(Proportion of residents with college degree)	1.233	2.500	0.012
ln(Proportion of residents 40–60 years of age)	0.766	0.490	0.622
ln(Proportion of residents more than 60 years of age)	0.352	0.220	0.823
Other neighborhood attributes			
ln(Park density ratio)	−0.349	−1.220	0.223
ln(Developed land ratio)	1.778	1.240	0.214
ln(Road area ratio)	−0.897	−0.290	0.774
ln(Retail area ratio)	−0.233	−1.210	0.226
ln(Proportion of residential permits to total permits)	0.241	0.780	0.438
ln(Proportion of commercial permits to total permits)	1.010	1.260	0.207
ln(CPI-adjusted local tax per households)	0.859	0.790	0.428
ln(Job accessibility within 30 min by Car)	−0.395	−0.630	0.526
Constant	1.846	0.110	0.910
Random effects			
Standard deviation of the random intercept	0.718		
ICC	0.136		
Summary statistics			
Number of parcel observations (Level 1)	25,410		
Number of neighborhood groups (Level 2)	72		

variation in land values is explained by between-group variation among 71 and 70 neighborhoods over the two time periods, respectively. Most predictor variables in the models shown in Table 6 were statistically significant at the 5% probability level.

The coefficients on dummy variables for distance to the nearest BRT stops speak to the core research question: whether proximity affects land prices differently before and after the BRT improvements. Fig. 13 plots these coefficients, revealing the marginal effects of proximity on land prices, expressed in percentage terms and over 30 m distance bands, relative to parcels more than 300 m away. While there were general proximity benefits in both periods, Fig. 13 reveals the benefits were more prominently capitalized into land values in the post-period (2005–2007). Impacts were particularly notable within 150 m of the nearest bus stop. The lack of statistical significance of dummy variables for locations beyond 150 m of a BRT stop in the post-period suggests BRT services produced highly localized land-market premiums.

Other control variables in Table 6 generally conform to expectations. Land prices fell with distance to the nearest CGC freeway ramps (when they existed in 2001–2004) as well as the nearest CGC greenway pedestrian entrances (in the post-freeway period of 2005–2007). They also fell with distance to another important infrastructure component, Seoul's world-class subway system. Table 6 also shows offices enjoyed higher land-value premiums than other non-residential uses, *ceteris paribus*, and site density (as reflected by building coverage and floor-area-ratio) also worked in favor of higher land values (though only in the pre-BRT period). While the signs on some control variables, such as

“park density ratio” (reflecting the benefit of having parks in the neighborhoods), make sense, the signs on others are less easy to explain and likely reflect local idiosyncrasies of Seoul's commercial real-estate market. As previously noted, the very large size of our sample minimizes any unintended effects of statistically insignificant control variables on other parameter estimates (Stigler, 2008).

6.2. Residential hedonic price models


In all, data for 85,124 and 41,302 residential parcels were available for the two periods. For both periods, residential parcels were used as follows: single-family housing (81.9%), multi-family housing (11.5%), undeveloped land zoned for residential (3.7%), condominiums (1.7%), and row housing (1.3%). Residential parcels ranged in value per m² from 148,000 Korean Won (US\$32) to more than 8,400,000 Korean Won (US\$6600) over the 2001–2007 period.

The multilevel models estimated for residential parcels are shown in Table 7. The high intraclass correlations justified the use of multilevel model estimation: 99.2% and 99.5% of the variation in land values is explained by the between-group variation across the 65 neighborhoods over the two time periods, respectively. Nearly all predictor variables in both models are statistically significant at the 0.01 probability level. As with the non-residential model, distance to the nearest BRT stop had a significant and discernable effect on residential land prices,

Table 5

Multilevel logit model for predicting single family housing to condominium and mixed-use conversions.

Variables	SF to condominium			SF to mixed-use		
	Coefficient	t	p	Coefficient	t	p
Fixed effects						
Network distance to bus stops						
dummy (1, if network distance $\leq$ 100 m, otherwise 0)	−28.826	0.000	1.000	−1.185	−2.890	0.004
dummy (1, if 100 < network distance $\leq$ 200 m, otherwise 0)	0.173	0.310	0.754	0.024	0.110	0.913
dummy (1, if 200 < network distance $\leq$ 300 m, otherwise 0)	1.023	2.370	0.018	0.431	2.170	0.030
dummy (1, if 300 < network distance $\leq$ 400 m, otherwise 0)	0.565	1.450	0.147	0.541	2.740	0.006
dummy (1, if 400 < network distance $\leq$ 500 m, otherwise 0)	0.342	0.900	0.367	−0.087	−0.390	0.698
Location factors						
ln(Network distance to CGC pedestrian entrances)	7.127	2.290	0.022	0.959	1.270	0.204
ln(Distance to CBD: City Hall)	−22.832	−4.940	0.000	−1.310	−1.770	0.077
ln(Distance to nearest subway station)	0.805	2.340	0.019	0.462	3.720	0.000
ln(Distance to nearest urban arterial)	1.112	6.060	0.000	−0.262	−4.830	0.000
ln(Distance to nearest bus stop)	1.271	4.070	0.000			
Neighborhood economic and demographic attributes						
ln(CPI-adjusted land value)	2.310	6.540	0.000	0.609	4.040	0.000
ln(Building coverage ratio)				−0.297	−0.430	0.665
ln(Floor area ratio)				0.411	2.600	0.009
ln(Population density)	−7.614	−3.230	0.001	0.053	0.170	0.867
ln(Employment density)	−46.629	−0.030	0.976	3.495	1.280	0.199
ln(Proportion of residents with college degree)	12.475	2.140	0.032	0.602	0.930	0.353
ln(Proportion of residents 40–60 years of age)	−22.523	−1.500	0.134	−0.826	−0.390	0.697
ln(Proportion of residents more than 60 years of age)	−46.801	−2.260	0.024	−5.827	−2.840	0.005
Other neighborhood attributes						
ln(Park density ratio)	−0.351	0.000	0.999	0.080	0.230	0.816
ln(Developed land ratio)	−106.385	−0.030	0.976	−0.172	−0.100	0.922
ln(Road area ratio)	95.790	0.030	0.979	−3.801	−0.850	0.393
ln(Retail area ratio)	2.598	0.010	0.990	0.505	1.440	0.149
ln(Proportion of residential permits to total permits)	13.544	0.040	0.968	0.723	1.460	0.144
ln(Proportion of commercial permits to total permits)	−20.038	−0.020	0.984	−0.721	−0.850	0.396
ln(CPI-adjusted local tax per households)	22.288	0.010	0.991	−2.054	−1.340	0.179
ln(Job accessibility within 30 min by car)						
Constant	277.969	0.020	0.983	−28.466	−1.610	0.108
Random effects						
Standard deviation of the random intercept	4.886			1.002		
ICC	0.879			0.234		
Summary statistics						
Number of parcel observations (Level 1)	2,387			24,810		
Number of neighborhood groups (Level 2)	65			72		

**Fig. 12.** Coefficients of each land use change by distance intervals.


underscored by Fig. 14. The figure shows residential land prices were generally higher for parcels within 300 m of a bus stop than those beyond 300 m; however, the premium effect was noticeably

bigger once median-lane BRT services were introduced. Prior to these services, residential values were slightly lower within 30 m of the nearest bus stop, likely reflecting a nuisance effect, and then

Table 6

Multilevel hedonic model for predicting non-residential land value per square meter. Note: 1 Korean Won=0.0011 US dollar in 2007.

Variables	2001–2004			2005–2007		
	Coefficient	t	p	Coefficient	t	p
Fixed effects						
Distance to bus stops						
dummy (1, if distance $\leq$ 30 m, otherwise 0)	0.183	14.440	0.000	0.260	16.390	0.000
dummy (1, if 30 < distance $\leq$ 60 m, otherwise 0)	0.137	11.790	0.000	0.189	13.160	0.000
dummy (1, if 60 < distance $\leq$ 90 m, otherwise 0)	0.047	4.110	0.000	0.096	6.790	0.000
dummy (1, if 90 < distance $\leq$ 120 m, otherwise 0)	0.045	3.950	0.000	0.061	4.290	0.000
dummy (1, if 120 < distance $\leq$ 150 m, otherwise 0)	0.031	2.730	0.006	0.033	2.290	0.022
dummy (1, if 150 < distance $\leq$ 180 m, otherwise 0)	0.022	1.970	0.049	0.001	0.040	0.969
dummy (1, if 180 < distance $\leq$ 210 m, otherwise 0)	0.033	2.810	0.005	−0.003	−0.210	0.837
dummy (1, if 210 < distance $\leq$ 240 m, otherwise 0)	0.061	4.940	0.000	0.008	0.510	0.609
dummy (1, if 240 < distance $\leq$ 270 m, otherwise 0)	0.045	3.430	0.001	0.008	0.470	0.640
dummy (1, if 270 < distance $\leq$ 300 m, otherwise 0)	0.040	2.610	0.009	0.002	0.090	0.928
Location factors						
ln(Network distance to nearest CGC freeway ramps)	−0.804	−23.250	0.000			
ln(Network distance to nearest CGC pedestrian entrances)				−0.743	−20.880	0.000
ln(Distance to CBD: City Hall)	0.348	7.450	0.000	0.265	4.550	0.000
ln(Distance to nearest subway station)	−0.087	−30.470	0.000	−0.123	−34.200	0.000
ln(Distance to nearest urban arterial)	−0.013	−6.770	0.000	−0.001	−0.260	0.793
Land use and regulation						
Office (0/1)	0.059	7.190	0.000	0.041	3.410	0.001
Commercial raw lands (0/1)	−0.090	−10.660	0.000	−0.011	−1.010	0.314
Mixed-use (0/1)	−0.374	−90.670	0.000	−0.460	−91.840	0.000
Mixed-use raw lands (0/1)	−0.466	−24.410	0.000	−0.543	−26.950	0.000
ln(Building coverage ratio)	0.079	4.680	0.000			
ln(Floor area ratio)	0.217	58.540	0.000			
Neighborhood economic and demographic attributes						
ln(Population density)	−0.102	−3.640	0.000	0.110	4.930	0.000
ln(Employment density)	−0.792	−17.580	0.000	−0.138	−0.880	0.377
ln(Proportion of residents with college degree)	0.234	1.920	0.055	0.565	1.860	0.063
ln(Proportion of residents 40–60 years of age)	−0.025	−1.610	0.108	0.485	4.620	0.000
ln(Proportion of residents more than 60 years of age)	0.108	4.460	0.000	0.268	4.190	0.000
Other neighborhood attributes						
ln(Park density ratio)	0.110	15.390	0.000	0.355	15.160	0.000
ln(Developed land ratio)	−1.132	−4.020	0.000	−3.396	−4.010	0.000
ln(Road area ratio)	2.946	11.870	0.000	2.196	2.520	0.012
ln(Retail area ratio)	0.065	9.890	0.000	−0.021	−4.630	0.000
ln(Proportion of residential permits to total permits)	−0.108	−19.020	0.000	−0.040	−7.230	0.000
ln(Proportion of commercial permits to total permits)	0.031	6.230	0.000	0.070	13.500	0.000
Constant	33.662	39.810	0.000	25.527	9.310	0.000
Random effects						
ICC	0.722			0.889		
Summary statistics						
Number of parcel observations (Level 1)	37,515			23,969		
Number of neighborhood groups (Level 2)	71			70		

**Fig. 13.** Marginal effects of BRT bus stops on non-residential land values by distance intervals.

rose in the range of a 1.5–2.8% premium up to around 270 m away. Following the BRT enhancements, premiums shot up significantly, eclipsing 10% up to 90 m from the nearest bus

stop. The absence of any nuisance effect within 30 m of a BRT stop could very well reflect the high-amenity designs of Seoul's median-lane bus stops (see Fig. 15) and perhaps even a different




Fig. 14. Marginal effects of BRT bus stops on residential land values by distance intervals.

Table 7

Multilevel hedonic model for predicting residential land value per square meter. Note: 1 Korean Won=0.0011 US Dollar in 2007.

Variables	2001–2004			2005–2007		
	Coefficient	t	p	Coefficient	t	p
Fixed effects						
Distance to bus stops						
dummy (1, if distance ≤ 30 m, otherwise 0)	−0.025	−3.710	0.000	0.103	11.050	0.000
dummy (1, if 30 < distance ≤ 60 m, otherwise 0)	0.015	4.150	0.000	0.115	22.510	0.000
dummy (1, if 60 < distance ≤ 90 m, otherwise 0)	0.022	8.200	0.000	0.105	26.230	0.000
dummy (1, if 90 < distance ≤ 120 m, otherwise 0)	0.022	9.290	0.000	0.089	25.080	0.000
dummy (1, if 120 < distance ≤ 150 m, otherwise 0)	0.026	12.020	0.000	0.082	24.980	0.000
dummy (1, if 150 < distance ≤ 180 m, otherwise 0)	0.025	12.010	0.000	0.070	22.280	0.000
dummy (1, if 180 < distance ≤ 210 m, otherwise 0)	0.028	13.620	0.000	0.063	20.250	0.000
dummy (1, if 210 < distance ≤ 240 m, otherwise 0)	0.021	10.230	0.000	0.054	17.070	0.000
dummy (1, if 240 < distance ≤ 270 m, otherwise 0)	0.016	7.520	0.000	0.053	15.920	0.000
dummy (1, if 270 < distance ≤ 300 m, otherwise 0)	0.004	1.560	0.118	0.053	14.630	0.000
Location factors						
ln(Network distance to nearest bus stop)	−0.052	−42.050	0.000	−0.030	−16.370	0.000
ln(Network distance to nearest CGC freeway ramps)	−0.027	−1.990	0.047			
ln(Network distance to nearest CGC pedestrian entrances)				−0.154	−8.320	0.000
ln(Distance to CBD: City Hall)	−0.004	−0.250	0.800	0.081	3.380	0.001
ln(Distance to nearest subway station)	−0.025	−20.720	0.000	−0.046	−25.560	0.000
ln(Distance to nearest urban arterial)	−0.049	−91.310	0.000	−0.044	−53.010	0.000
ln(Distance to Han River)	0.007	0.900	0.366	−0.379	−27.000	0.000
Land use and regulation						
Row Housing (0/1)	0.084	19.410	0.000	0.098	17.230	0.000
Multi-family housing (0/1)	0.041	25.850	0.000	0.051	24.520	0.000
Condominium (0/1)	0.382	80.200	0.000	0.251	58.380	0.000
Residential raw lands (0/1)	−0.029	−11.010	0.000	−0.082	−22.910	0.000
ln(Building coverage ratio)	0.167	41.250	0.000			
ln(Floor area ratio)	0.105	53.970	0.000			
Neighborhood economic and demographic attributes						
ln(Population density)	0.162	16.110	0.000	0.095	8.040	0.000
ln(Employment density)	0.343	16.830	0.000	−1.159	−12.840	0.000
ln(Proportion of residents with college degree)	−0.010	−0.020	0.980	1.890	2.680	0.007
ln(Proportion of residents 40–60 years of age)	−0.090	−12.980	0.000	0.596	11.210	0.000
ln(Proportion of residents more than 60 years of age)	0.176	19.510	0.000	0.598	19.930	0.000
Other neighborhood attributes						
ln(Park density ratio)	0.037	15.790	0.000	0.261	17.310	0.000
ln(Developed land ratio)	4.547	13.930	0.000	−9.928	−22.610	0.000
ln(Road area ratio)	5.139	43.920	0.000	12.477	16.820	0.000
ln(Retail area ratio)	0.085	38.670	0.000	−0.062	−33.320	0.000
ln(Proportion of residential permits to total permits)	0.027	9.000	0.000	−0.083	−29.590	0.000
ln(Proportion of commercial permits to total permits)	0.034	19.310	0.000	0.056	25.470	0.000
ln(CPI-adjusted local tax per households)	−0.293	−54.240	0.000	−0.434	−10.680	0.000
Constant	30.627	31.800	0.000	58.651	21.030	0.000
Random effects						
ICC	0.992			0.995		
Summary statistics						
Number of parcel observations (Level 1)	85,124			41,302		
Number of neighborhood groups (Level 2)	65			65		



Fig. 15. Seoul's high-amenity BRT bus-stop infrastructure.
Source: Seoul Metropolitan Government.

clientele who patronizes BRT than previous regular bus services. Beyond 60 m, Fig. 14 shows that the premium effects began to taper.

The control variables in Table 7 generally align with expectations. Proximity to other infrastructure, including the CGC greenway, subways, and arterial roads were associated with higher residential land prices. Also, higher density residential parcels (e.g., row housing, multi-family housing, condominiums) were valued more than single-family residences (the suppressed dummy-variable category). Factors like high neighborhood densities, high park densities, and dense road networks also tended to increase residential land values. The signs on some variables in Table 7, however, are not easily interpretable and again could reflect unique, localized attributes of Seoul's real estate market.

7. Conclusion and policy implication

Our core research hypotheses were largely borne out by empirical results. Seoul's substantial upgrading of BRT services – in the form of adding over 70 kms of dedicated median-lane bus services in 2004 – nearly doubled bus operating speeds. In a crowded, congested, and land-constrained city like Seoul, increased accessibility prompted property owners and developers to intensify land uses along BRT corridors, mainly in the form of converting single-family residences to multi-family units, apartments, and mixed-use projects. Moreover, land markets capitalized these accessibility gains, particularly among parcels used for condominiums and higher density residential uses. Land price premiums in the 5–10% range were estimated for residences within 300 m of BRT stops. For retail shops and other non-residential uses, impacts were more varied, ranging from 3% to 26% premiums over a smaller impact zone of 150 m from the nearest BRT stop.

Hedonic price modeling is not without limitations in part because most applications are cross-sectional and thus fail to account for dynamic nature of bidding for sites among real-estate suppliers and consumers (Martinez and Henriquez, 2006). The use of data from multiple time points in our study partly responds to such criticisms. Moreover, hedonic price models are commonly used in tax assessments, litigation, and academic research because over time they have demonstrated themselves to be a statistically robust form of the more traditional sales comparison approach of assessing land values. It might also be the case that

land-value premiums measured in our study were redistributive, matched by a lowering of land-value appreciation in non-BRT-served corridors. While we cannot rule out such possibilities, we do not believe this was the case. This is largely because average bus speeds and passenger throughput increased, and traffic delays decreased, following the introduction of BRT services, despite the continued increases in Seoul's population and employment over the 2001–2007 study period. These are real economic benefits that, according to theory, should get capitalized into land values for directly benefiting properties. And even if land-value premiums are redistributive, this does not diminish the use of policy tools that might recapture such value, such as benefit assessments, to finance infrastructure improvements. Additionally, financial redistributions can spawn spatial redistributions – e.g., from market pressures to build at higher densities along BRT-served corridors – that in turn produce real benefits through agglomeration economies (see Cervero, 1997; Boarnet and Haughwot, 2000).

Our findings of BRT's appreciable land-use and land-value impacts are consistent with past work on the impacts of rail-transit improvements. It is not transit “hardware” – i.e., steel-wheel trains or rubber-tire buses – that unleash land-use changes but rather the quality of service and more specifically, the comparative travel-time savings of taking transit vis-à-vis the private car. In Seoul, faster, more punctual bus services and the ease of transferring to subway portals triggered a market demand for higher density residential uses. Land-use intensification, along with the access improvements conferred by BRT, also translated into higher real-estate prices, especially for residential uses.

These research findings inform several possible policy responses. One, the desire to intensify land uses requires local planners to get ahead of the curve by changing zoning and regulatory restrictions governing densities and designs in advance of BRT enhancements. This, of course, assumes higher density development in BRT-served corridors is sought by planning agencies. Fortunately, this is most often the case since, after all, expensive transit investments require high ridership, which a body of research has long shown requires high densities (Pushkarev and Zupan, 1977; Cervero, 1998). As the saying goes, “mass transit needs mass”. Zoning overlays, increases in permissible floor-area-ratio, and density bonuses are not the only programmatic changes that are needed in response to market pressures to intensify uses. Other supportive infrastructure including water and sewerage trunk-line capacities have to be

upgraded and expanded to serve more households and businesses. Linking infrastructure like BRT to local zoning and land-use planning seems fairly straightforward; however, it should be remembered that many cities in the developing world aiming to economize on transit investments by building BRT (e.g., Jakarta, Ankara, Cali, Abidjan) do not always have the institutional capacities and resources to carry out strategic land-use planning.

As noted earlier, the presence of measurable land-value premiums conferred by BRT create revenue-generating opportunities as well, notably transit value capture. Since BRT is a public investment that yields benefits to private property owners, value capture aims to return a share of the value-added to public coffers to help finance the capital investment and subsequent operations. BRT-induced land appreciation can be partly recaptured through benefit assessment district financing and public–private joint development initiatives. Presumably, all parties in joint development deals perceive benefits from intensifying development near transit – i.e., increased ridership for public operators and increased land prices and rents for private landholders – which eases the process of hammering out revenue-sharing agreements. Another implication of rising land prices, of course, is displacement of lower-income households and other potential mal-distributive effects. To redress such inequities, one possible use of revenues recaptured from benefitting property owners is to underwrite the costs of providing affordable housing and shops to displaced residents and merchants.

It should be kept in mind that Seoul's BRT improvements did not occur in isolation. Rather they were part of a larger campaign to reclaim land given over to freeways and to enhance urban living as an alternative to exurban new-town development. No project epitomized this shift in urban policy more than the freeway-to-greenway conversion, Cheong Gye Cheon (CGC). Indeed, former mayor Myung-Bak Lee opted to upgrade the city's bus services and invest in dedicated-lane BRT partly to ensure high-quality transit was in place to absorb capacity lost and trips deflected by the CGC freeway demolition. In Seoul, BRT improvements were part of a larger policy agenda that required a systems approach. While our research focused on median-lane bus services, some of the estimated benefits were no doubt tied to other initiatives introduced at roughly the same time to improve mobility and quality-of-living in central Seoul. As is often the case, this one infrastructure component – BRT – was likely a necessary, though by itself, insufficient, factor in intensifying residential activities and increasing land values. Seoul's experiences underscore the importance of applying a systems approach to transit investments, tied to a larger public purpose, which in the case of Seoul included re-generation and revitalization of the urban core.

Acknowledgements

We are grateful to OPENmate, a GIS company based in Korea, for technical support and to Dr. Gyeng-Chul Kim from Veolia Transport Korea for assistance with this research.

References

- Bae, C., Jun, M., Park, H., 2003. The impact of Seoul's subway line 5 on residential property values. *Transport Policy* 10 (2), 85–94.
- Banister, D., 2005. *Unsustainable Transport: City Transport in the New Century*. Routledge, London.
- Banister, D., Lichfield, N., 1995. The key issues in transport and urban development. In: Banister, D. (Ed.), *Transport and Urban Development*. E&FN Spon, London.
- Bartik, T., 1988. Measuring the benefits of amenity improvements on hedonic models. *Land Economics* 64 (2), 172–183.
- Bhatta, S., Drennan, M., 2003. The economic benefits of public investment in transportation: a review of recent literature. *Journal of Planning Education and Research* 22, 288–296.
- Boarnet, M., 1998. Spillovers and the locational effects of public infrastructure. *Journal of Regional Science* 38 (3), 381–400.
- Boarnet, M., Chalermpong, S., 2001. New highways, house prices, and urban development: a case study of toll roads in Orange County, CA. *Housing Policy Debate* 12 (3), 575–605.
- Boarnet, M., Haughwot, A., 2000. Do Highways Matter? Evidence and Policy Implications of Highway's Influence on Metropolitan Development. Brookings Institution Center on Urban and Metropolitan Policy, Washington, DC.
- Cambridge Systematics, Cervero, R. and Aschuer, D., 1998. *Economic Impact Analysis of Transit Investments: Guidebook for Practitioners*. National Academy Press, Washington, DC. Transit Cooperative Research Program, Report 35, National Research Council, 1998; with Cambridge Systematics and D. Aschuer.
- Cervero, R., 1997. Transit-induced accessibility and agglomeration benefits: a land market evaluation. Working Paper 691, Institute of Urban and Regional Development, Berkeley.
- Cervero, R., 1998. *The Transit Metropolis: A Global Inquiry*. Island Press, Washington.
- Cervero, R., 2004. The property value case for transit. In: Dunphy, R. (Ed.), *Developing Around Transit: Strategies and Solutions that Work*. Urban Land Institute, Washington, DC.
- Cervero, R., Landis, J., 1997. Twenty years of the bay area rapid transit system: land use and development impacts. *Transportation Research Part A* 31 (4), 309–333.
- Dowall, D., Monkkonen, P., 2007. Consequences of the Plano Pilot: the urban development and land markets of Brasilia. *Urban Studies* 44 (10), 1871–1887.
- Du, Hongbo, Mulley, C., 2006. Relationship between transport accessibility and land value. *Transportation Research Record* 1977, 197–205.
- Estupinan, N., Rodriguez, D., 2008. The relationship between urban form and station boardings for Bogotá's BRT. *Transportation Research Part A* 42, 296–306.
- Ewing, R., 2009. Transportation infrastructure and urban growth and development patterns. In: Boarnet, M. (Ed.), *Transportation Infrastructure: The Challenges of Rebuilding America*. American Planning Association, Planning Advisory Service, Chicago Report Number 557, pp. 27–39.
- Gatzlaff, D., Smith, M., 1993. The impact of the Miami metrorail on the value of residences near station locations. *Land Economics* 69 (1), 54–66.
- Giuliano, G., 2004. Land use impacts of transportation investments: highway and transit. In: Hanson, S. (Ed.), *The Geography of Urban Transportation*. The Guilford Press, New York, pp. 237–273.
- Hall, P., 1995. A European perspective on the spatial links between land use, development and transport. In: Banister, D. (Ed.), *Transport and Urban Development*. E&FN Spon, London.
- Huang, H., 1996. The land-use impacts of urban rail transit systems. *Journal of Planning Literature* 11 (1), 17–30.
- Levinson, H., Zimmerman, S., Clinger, J., Rutherford, S., 2002. Bus rapid transit: an overview. *Journal of Public Transportation* 5 (2), 1–30.
- Martinez, F., Henriquez, R., 2006. A random bidding and supply land use equilibrium model. *Transportation Research B* 41, 632–651.
- McMillen, D., McDonald, J., 2004. Reaction of house prices to a new rapid transit line: Chicago's midway line 1983–1999. *Real Estate Economics* 32 (3), 463–486.
- Perez, P., Martinez, F., Ortuzar, J., 2003. Microeconomic formulation and estimation of a residential location choice model: implications for the value of time. *Journal of Regional Science* 43 (4), 771–789.
- Polzin, S., Baltés, M., 2002. Bus rapid transit: a viable alternative? *Journal of Public Transportation* 5 (2) 47–69.
- Pushkarev, B., Zupan, J., 1977. *Public Transportation and Land Use*. Indiana University Press, Bloomington.
- Rabe-Hesketh, S., Skrondal, A., 2008. *Multilevel and Longitudinal Modeling Using STATA*. STATA Press, College Station, TX, USA.
- Raudenbush, S., Bryk, A., 2002. *Hierarchical Linear Models: Application and Data Analysis Methods*. Sage, Newbury Park, California.
- Royal Institution of Chartered Surveyors, 2002. *Land Value and Public Transport*. Royal Institution of Chartered Surveyors, London.
- Rodriguez, D., Targa, F., 2004. Value of accessibility to Bogotá's bus rapid transit system. *Transport Reviews* 24 (5), 587–610.
- Rodriguez, D., Mojica, C., 2008. The land value benefits of bus rapid transit: the case of Bogotá's transmilenio. *Landlines* 24, 2–6.
- Rosen, S., 1974. Hedonic prices and implicit markets: product differential in pure competition. *Journal of Political Economics* 82, 34–55.
- Ryan, S., 1999. Property values and transportation facilities: finding the transportation–land use connection. *Journal of Planning Literature* 13 (4), 412–427.
- Seoul Development Institute, 2005a. *Toward Better Public Transport*, Seoul Development Institute, Seoul Metropolitan Government.
- Seoul Development Institute, 2005b. *Monitoring Service Level of Seoul Bus System*. Seoul, Korea: Seoul Development Institute Seoul, Seoul Metropolitan Government.
- Seoul Metropolitan Government, 2009. *Achievement and Present State of Public Transit Reform in Seoul, 2009*. Seoul Metropolitan Government, Seoul.
- Stigler, S., 2008. Fisher and the 5% level. *Chance* 21 (4), 12.
- Voith, R., 1993. Changing capitalization of CBD-oriented transportation systems—evidence from Philadelphia, 1970–1988. *Journal of Urban Economics* 33 (3), 361–376.
- Vuchic, V., 2002. Bus semirapid transit model development and evaluation. *Journal of Public Transportation* 5 (2), 71–96.
- Zhou, B., Kockelman, K.M., 2008. Neighborhood impacts on land use change: a multinomial logit model of spatial relationships. *The Annals of Regional Science* 42, 321–340.